

PRODUCT DATA SHEET


MAGNETIC FILTER

PRODUCT CODES: MAGFLO (22MM) MAGFLO-28 (28MM)



- Works as a dual filter to maximise the life expectancy of your boiler whilst maintaining fuel efficiency
- Unique spiral action forcing the flow through 5 dirt separators
- Easy to install and maintain without disassembly of any components
- Dosing port enables easy access to top up of system inhibitor chemicals
- Spanner provided for lid and service valves
- Removes magnetic and non-magnetic particles
- 22mm compression fittings
- 1/2" BSP drain plug
- · Glass filled reinforced plastic nylon
- Maximum working temperature 130 C
- Maximum working pressure 3 bar
- Maximum flow rate 50 litre per min
- · Rare neodymium 9500 gauss magnet
- 10 year magnet warranty
- All the seals are high temperature EPDM seals
- 9 dirt separators
- 10 debris breakers built into the filter
- Low level drain plug to save space
- Triple seals in isolating valves
- Deeper pocket for copper pipe insert which prevents leaks





TFC GROUP LLP

MAGFLO MAGNETIC FILTER





TFC GROUP LLP, TOWER HOUSE, VALE RISE, TONBRIDGE, KENT TN9 1TB

Tel: 01732 351680 Fax: 01732 354445 www.tfc-group.co.uk

Prepared for TFC Group LLP By: M. Edmonston

Issue 1: July 2018



PRODUCT DATA SHEET

Tower MAGFLO – 22mm Magnetic Filter





TFC GROUP LLP

MAGFLO MAGNETIC FILTER





TFC GROUP LLP, TOWER HOUSE, VALE RISE, TONBRIDGE, KENT TN9 1TB

Tel: 01732 351680 Fax: 01732 354445 www.tfc-group.co.uk

Prepared for TFC Group LLP By: M. Edmonston

Issue 1: July 2018 Page 2 of 3





PRODUCT DATA SHEET

Tower MAGFLO – 22mm Magnetic Filter

MAGFLO - Rips the dirt from your system







TFC GROUP LLP

MAGFLO MAGNETIC FILTER





TFC GROUP LLP, TOWER HOUSE, VALE RISE, TONBRIDGE, KENT TN9 1TB

Tel: 01732 351680 Fax: 01732 354445 www.tfc-group.co.uk

Prepared for TFC Group LLP By: M. Edmonston

Issue 1: July 2018

Page 3 of 3